

ПРОФЕСИОНАЛЕН ВИДЕО НАДЗОР, АЛАРМИ, ДОМОФОНИ, ВИДЕОФОНИ, КОНТРОЛА НА ПРИСТАП И ПРОТИВПОЖАРНИ СИСТЕМИ

DVR AVTECH



MDR752C
DVR 4CH H.264 Full D1 100fps, 4ch AUDIO, VGA, NETWORK, PTZ Input : 4 CH Input / BNC Network
HDD: 1 SATA HD capacity to 2TB
Mobile Phone: Android, iPhone, Blackberry, Symbian, Windows

Made in Taiwan

MDR759H



MDR759H
DVR 16CH H.264, 400fr, 4ch AUDIO, VGA, NETWORK, PTZ, HDMI Video Input: 16 CH Input / BNC Video Output: 1CH BNC, 1CH VGA, HD Display (max. resol. 1600X1200) Maximum Recording Rate Frame: 704x576 pixels with 100 IPS PAL 352x288 pixels with 400 IPS PAL

Made in Taiwan

AVC708H



AVC708H
DVR 16CH all in One FULL D1 record 960H Video Recording, Push Video Support, EagleEye, 1080HDMI, IVA, DCCS, H.264, 400fr, VGA, NETWORK, PTZ, HDMI, Video Input: 16 CH Input/ BNC, Video Output: 1BNC, 1VGA (1600x1200) Max. Recording Rate Frame 704x576 pixels with 100 IPS PAL 352x288 pixels with 400 IPS PAL

Made in Taiwan

AVH0401



AVH0401
NVR 4CH HD Video Recorder, PON Full HD display and recording, HDMI H.264, 4LAN Ports, HDMI output, Video Output Full HD Resolution Audio Output HDMI, Storage 3TB one HDD (No HDD Included), Network Ethernet PON 1~4 port: 10/100Mbps with PON/Internet (WAN) port: 1Gb, Internet Explorer 7.x or later / Intel core i3 or higher, or equivalent AMD/ 2GB RAM, Mobile Surveillance Compatible Devices EagleEyes on iOS / EagleEyes on Android, AVTECH Free DDNS Service

Made in Taiwan

AVTECH KPC136ELT



KPC136ELT
Sensor 1/3" HR color CCD image sensor Lens f3.6mm, IRIS Mode AES IR LED 21 units, IR Effective Distance Up to 15 Meters White Balance ATW AGC Auto
Made in Taiwan

KPC139E / AVC159



KPC139E / AVC159
Sensor 1/3" HR color CCD image sensor, Lens f3.6mm/F2.0 IRIS IR LED 35 units, IR Effective Distance up to 25 meters
Made in Taiwan

KPC172ZEP



KPC172ZEP
1/3" Super H.R. CCD sensor with SONY Effio DSP 540 TVL, IR LED: 12 units, IR LED effective range to 15 meters, IP66 standard approved case Lens VARI-FOCAL f3.8 ~ f9.5mm, IRIS Mode AES.
Made in Taiwan

KPC149H / AVC169P



KPC149H / AVC169P
1/3" SuperHighResolution Color ccd, SONY Effio DSP 700 TVL, VARIO FOCAL Dome Camera, Lens f3.8 ~ f9.5mm
Made in Taiwan

AVC167P



AVC167P
1/3" Super HighResolution Color CCD, SONY Effio DSP 700 TVL, VARIO FOCAL Dome Camera, High sensitivity in the dark Lens f3.8 ~ f9.5mm
Made in Taiwan

KPC131E / AVC412ZAP



KPC131E / AVC412ZAP
1/3" High Resolution Color CCD SONY Effio DSP, BOX Camera, Super high resolution, Digital WDR, OSD menu for advanced settings, Built-in microphone
Made in Taiwan

AVTECH KPC132E



KPC132E
1/3" High Resolution Color CCD Dome Camera, Low light sensitivity of 0.1 Lux at F2.0
Made in Taiwan

KPC133E/AVC153P



KPC133E/AVC153P
1/3" High Resolution Color CCD, IR Dome Camera, High sensitive in the dark environment, IR LED: 21pcs IR LED effective range up to 15 m
Made in Taiwan

AVC432ZAP



AVC432ZAP
1/3" High Resolution Color CCD with SONY Effio DSP, IR Dome Camera, High sensitivity in the dark environment, IR LED 15 m
Made in Taiwan

AVC153P



AVC153P
1/3"HR Color CCD image sensor 700TVL, 960H Ultra Resolution, Built-in 21 IR LEDs 15 m, Lens 3.6 mm
Made in Taiwan

AVC482ZAP



AVC482ZAP
1/3" SuperHighResolution Color ccd, SONY Effio DSP 600 TVL, VARIO FOCAL Dome Camera, High sensitivity in the dark Lens f3.8 ~ f9.5mm
Made in Taiwan

AVC492A



AVC492A
1/3" Super High Resolution Color CCD sensor with SONY Effio DSP 600 TVL, IR DOME Special and stylish design, IR LED: 12 units, IR LED range to 10 m, Lens 3.8mm
Made in Taiwan

AVTECH AVM311P



AVM311P
1.3 Megapixel Vandal Proof IP Camera, POE 3-axis, ONVIF, IK08, PUSH VIDEO, microSD card slot 1/4" CMOS-Type Image Sensor, H.264, Lens f3.8mm/F1.5, AGC Auto Video Compression H.264/MPEG4/MJPEG, Frame Rate 30 FPS, Mobile Surveillance Android/iOS, POE, Event Notification FTP/Email/SMS, Digital Pan/Tilt/ Zoom, Motion Detection
Made in Taiwan

AVM357A



AVM357A
1.3 Megapixel Outdoor IR Network Camera, Image Sensor 1/4" MOS-Type Sensor, Pixels 1280 x 1024, Min Illumination 0.1 Lux/F1.5, Lens f3.8mm, IR LED 35 units, IR Effective Range 20 meters, IP Rating IP67, IRIS Mode AES, White Balance ATW, AGC Auto Video Compression H.264/ MPEG4/MJPEG, Resolution SXGA, Frame Rate 30 FPS, Mobile Surveillance Android, ONVIF Compatible, POE, Event Notification FTP/Email/ SMS, External Alarm Device Connection, Digital Pan/Tilt/ Zoom, Motion Detection
Made in Taiwan

AVN363V



AVN363V
1.3 Megapixel Outdoor IR Network Camera, 1/3" Type Image Sensor, Pixels 1280x 1024, lens f4.0~f9.0mm, IR LED 56 units, IR Effective Range 40meters, White Balance ATW, External Audio In/Out YES, IP Rating IP67, Network Compression H.264/MPEG4/MJPEG, Smart Zoom to zoom in on the object that triggered the event, Mobile Surveillance iPad, iPod, iPhone, BlackBerry Windows Mobile, Symbian & Android, Smart Light Control YES, Smart Zoom
Made in Taiwan

Asoni

NVR504B



NVR504B
4-CH Network Video Recorder, Up to 120FPS@ H.264 High Quality Live/ Playback Video Various Types of Event Alerts 3GPP for monitoring via 3G mobile Multiple User Level Access Control Pure Web Based Administration

CAM639W



CAM639W
1.3 Mega-Pixel CMOS Sensor H.264/ MJPEG/ MPEG4 Triple mode 15FPS@1280x1024, 30FPS@640x480 2-way audio, 3GPP for monitoring Embedded Wireless, Free 36CH recording software

CAM422M



CAM422M
1.3 Mega-Pixel CMOS Sensor H.264/ MJPEG/ MPEG4 Triple mode 15FPS@1280x1024, 30FPS@640x480, 2-way audio, 3GPP for monitoring Embedded Wireless, Free 36CH recording software

CAM613M-PoE



CAM613M-PoE
2 Mega-Pixel CMOS sensor H.264/ MJPEG/ MPEG4 Triple mode Day & night 24-hour surveillance IR distance up to 40m, 3GPP for monitoring via 3G mobile IP66 waterproof standard External 3.6-16mm Auto-iris lens, Free 36CH recording software

AVM428B



AVM428B
2 Mega-Pixel 1/2.9" SONY H.R Image sensor, Dome IR Network camera, 1080p, H.264/ MJPEG/ MPEG4 Triple mode Day&night 24-hour surveillance, IR 10m, Lens: 3.8mm, 30 FPS
Made in Taiwan

<div>DVR</div> <div>12 meseci garancija</div> <div>KT7604ED-NA</div> <div></div> <div>BORSCHER 4.570,00</div> <div>DVR KT7604AD-A, 4ch, H264, D1, Network, VGA, 4ch. Audio, 100 fps, Zoom, Mobil Phone.</div>	<div>DVR</div> <div>KT8816FD</div> <div></div> <div>BORSCHER 16.190,00</div> <div>DVR KT8816FD, 16ch, H264, Network, VGA, HDMI, 16ch. Audio, Mobil Phone D1 (704*576)/D1@400fps</div>	<div>IR BULLET CAMERA</div> <div>CH1002IIMT</div> <div></div> <div>BORSCHER 700TVL 2.320,00</div> <div>1/3 color hd image sensor IR cut filter IR leds 30m, Double glass design 3.6/6mm, standard lens , camera with bracket.</div>	<div>LONG DISTANCE WEATHERPROOF CAMERA</div> <div>A-7001BR</div> <div></div> <div>BORSCHER 1000TVL 2.990,00</div> <div>Color 1/3" Color HD Image, 1000 TVL, IR-Cut filter, IR 25m, Vandalproof, Lens 3.6mm</div>	<div>DOME CAMERA</div> <div>CH2030MT</div> <div></div> <div>BORSCHER 1.960,00 800TVL</div> <div>1/3" Color HD Image Sensor 800 TVL. Plastic dome Double ICR Switch, 3.6/6mm</div>	<div>DOME CAMERA</div> <div>Ch2013</div> <div></div> <div>700TVL 2.050,00</div> <div>Color 1/3" Color HD 700 Image, IR-Cut filter, IR 15m, Vandalproof, Lens 3.6mm & 6mm</div>
<div>KT7604AD-A</div> <div></div> <div>BORSCHER 4.890,00</div> <div>DVR KT7604AD-A, 4ch, H264, D1 Network, VGA, 4ch. Audio, 100 fps, Zoom, Mobil Phone.</div>	<div>D6432VDL</div> <div></div> <div>BORSCHER 52.500,00</div> <div>DVR D6432VDL, 32ch, H264, Network, VGA, 16ch. Audio, 800fps CIF, Mobil Phone</div>	<div>CH1025MT</div> <div></div> <div>BORSCHER 800TVL 2.630,00</div> <div>1/3" color hd image sensor farrest effective range 20m IP 66 weatherproof 3.6mm standard lens</div>	<div>STL3030/HQ3030</div> <div></div> <div>420TVL. 4.730,00 540TVL. 5.260,00</div> <div>1/3 Sony Super HAD CCD, weatherproof IR, IR leds 120m, 8/12/16mm lens</div>	<div>CH2008MT</div> <div></div> <div>BORSCHER 2.520,00 800TVL</div> <div>1/3" Color HD Image Sensor 800 TVL with IR cut filter Plastic IR dome Double ICR Switch, range 15m, 3.6mm lens</div>	<div>CH2013MT</div> <div></div> <div>800TVL 2.730,00</div> <div>1/3" Color HD Image Sensor 15Meters, 3.6/6mm</div>
<div>KT78804H</div> <div></div> <div>BORSCHER 5.950,00</div> <div>4ch, H264, Pentalex D1, Network, VGA, HDMI, 4ch Audio, 100 fps, Zoom, Mobil Phone.</div>	<div>KT1508L</div> <div></div> <div>BORSCHER 13.670,00</div> <div>DVR KT1508-8ch, H264, Network, VGA, 4ch. Audio 100/200fps CIF Mobil Phone.</div>	<div>M-5701EM/5701EV</div> <div></div> <div>600TVL 800TVL 2.370,00 3.940,00</div> <div>weatherproof IR bullet standard lens: 3.6mm cable hidden bracket desing color silver double glass</div>	<div>STH 3020</div> <div></div> <div>BORSCHER 7.260,00</div> <div>1/3 Sony Super HADCCD 480TVL (color ccd)+530TVL (b/w ccd), Dual CCD design, IR leds 60m 8/12mm lens</div>	<div>M-5901EM</div> <div></div> <div>700TVL 2.170,00</div> <div>1/3" HD Image Sensor, range 25Meters, IP 66 weatherproof, 3.6mm lens with 3-AXIS managed cable, Anti-cutting bracket.</div>	<div>IR DOME</div> <div>7001TN/7001LV/7001TV</div> <div></div> <div>600TVL 3.120,00 800TVL 4.060,00 4.680,00</div> <div>Vandalproof Metal Standard lens: 4-9mm VF White</div>
<div>KT7608EC-NA</div> <div></div> <div>BORSCHER 5.420,00</div> <div>DVR KT7608EC-NA, 8ch, H264, Network, VGA, 8ch. Audio, 200 fps, Zoom, Mobil Phone.</div>	<div>WF-380 / WF-680</div> <div></div> <div>BORSCHER 5.260,00 6.310,00</div> <div>Wireless IP Camera CMOS VGA (640x480) QVGA(320x240) QQVGA(160x120) 5m IR distance</div>	<div>5601QV</div> <div></div> <div>800TVL 5.310,00</div> <div>1/3 Sony 960H EXview HAD CCD II, SWDR, IR leds 60m, lens: 4-9mm IP66, double glass.</div>	<div>BOX CAMERA</div> <div>HQ5002/HQ5003</div> <div></div> <div>BORSCHER 3.110,00</div> <div>1/3 Color CCD, 540TVL Box camera, Without Bracket</div>	<div>M-5601QN/5601QS</div> <div></div> <div>BORSCHER 700TVL 3.370,00 1000TVL 4.820,00</div> <div>1/3 IR cut filter IR leds 60m, manual varifocal lens 4-9mm zoom & focus cable hidden bracket design</div>	<div>4001XS</div> <div></div> <div>700TVL 3.000,00</div> <div>Color 1/3" SONY EFFIO 960H, 700TVL, DWDR, DNR, UTC, OSD Menu, IR 30m, Vandalproof, Variofocal 2.8-12mm</div>
<div>KT8808H</div> <div></div> <div>BORSCHER 6.210,00</div> <div>DVR KT7608AC, 8ch, H264, Network, VGA, 8ch. Audio, 200 fps, Zoom, Mobil Phone.</div>	<div>M-SPY195</div> <div></div> <div>BORSCHER 4.470,00</div> <div>5.0 720MP with 170° wide-angle SD card 2-32GB Resolution 1280*720 HD Format AVI Recording speed: 30fps TV-out function</div>	<div>CH3010MT</div> <div></div> <div>700TVL 800TVL 2.830,00 3.290,00</div> <div>1/3" Color hd Image sensor with IR cut filter weatherproof IR led 50m, 0.00lux, 3.6/6mm Lens IP 66 weatherproof Anticutting bracket</div>	<div>STH5005</div> <div></div> <div>BORSCHER 4.680,00</div> <div>1/3 Sony Super had ccd 480 TVL, eclipse box camera, anti-glare, DC drive lens compatible</div>	<div>PTZ CAMERA</div> <div>LHSD-260B</div> <div></div> <div>BORSCHER 600TVL 4.160,00 700TVL 4.730,00</div> <div>1/3 Sony Super had ccd Weatherproof IR bullet camera, IR leds 50m. manual Variofocal lens 4-9mm. IP66. Zoom&focus</div>	<div>SPY CAMERA</div> <div>UV-102 PEN</div> <div></div> <div>BORSCHER 8GB- 2.890,00</div> <div>Video recording 1280X 960 Avi format, 30fps Photograph, 8 Mega Pixel, audio recording</div>
<div>KT7816H</div> <div></div> <div>BORSCHER 8.840,00</div> <div>16H H.264 PENTAPLEX 8Ch AUDIO, VGA, HDMI, NETWORK, DUAL STREAMS Audio Input/Output: 2CH RCA/1CH RCA D1 (704*576), D1@100fps, HD1@100fps, CIF@400fps</div>	<div>M-159</div> <div></div> <div>BORSCHER 2.530,00</div> <div>1/4 Sony Super HAD CCD, 420TVL, 1.6mm wide angle lens, Mirror Cover</div>	<div>CH1029MT</div> <div></div> <div>BORSCHER 700TVL 800TVL 2.270,00 2.630,00</div> <div>1/3 with IR cut filter 20Meters, weatherproof. 3.6mm White COLOR Case .</div>	<div>CH5002</div> <div></div> <div>BORSCHER 600TVL 1.900,00</div> <div>1/3" Color HD Image Sensor 600 TVL with IR cut filter DC drive lens compatible, excl. lens / excl. bracket.</div>	<div>DVR USB C3106</div> <div></div> <div>BORSCHER 20.490,00</div> <div>1/4" SONY Super had ccd, 420TVL, 0.8Lux, (22X optical zoom) OSD Menu RS-485</div>	<div>UV-SPY102</div> <div></div> <div>BORSCHER 3.940,00</div> <div>Video recording 640X480 Avi format, 30fps, Photo, Audio, Web Cam.</div>
<div>KT7316HC</div> <div></div> <div>BORSCHER 12.090,00</div> <div>16H H.264 PENTAPLEX 16Ch AUDIO, VGA, HDMI NETWORK, DUAL STREAMS Audio Input/Output: 2CH RCA/1CH RCA D1 (704*576), D1@100fps, HD1@100fps, CIF@400fps</div>	<div>M-CVR2011/2013</div> <div></div> <div>BORSCHER HD720P 3.160,00 3.680,00</div> <div>Car video recording 2.5" display screen.</div>	<div>GV-800</div> <div></div> <div>BORSCHER 3.550,00</div> <div>16-ch Video, 4-ch Audio, 100fps(PAL)/120fps (NTSC). Version 8.31</div>	<div>GV-900</div> <div></div> <div>BORSCHER 6.500,00</div> <div>16-ch Video, 4-ch Audio, 200fps(PAL)/240fps (NTSC), Version 7.05.</div>		

Doorphone System

M-VD905C / VD906C



Handfree Color video doorphone, 7" flat color CRT monitor(Plastic); outdoor station:metal case; CMOS camera, handfree, audio and video communication; unlock, intercom. Light source: 6 IR LED Connection: 4 wire (Up to 4 monitors)

DR-201AG



domofonski poziv so 2 odvoeni pozivi, mikrofon i zvucnik, aluminumska maska, raboti so domofoni, DP-2HP i DP-20H.

DR-4KM



domofonski poziv so 4 odvoeni pozivi, mikrofon i zvucnik, aluminumska maska, raboti so domofon, DP-KSS.

DP-SS/DP2S/DP20H



Video Doorphone System

M-VD011



Multi-Video Door Phone for Villa Can support 1-6 indoor monitors.
2 indoor monitor 2.990,00
3 indoor monitor 3.360,00
4 indoor monitor 3.420,00
5 indoor monitor 3.990,00

M-VDI31



7" Indoor Monitor use for PST-VDO11.

WIRELESS M-WVD218



2.4Ghz 2.4" TFT Wireless Digital Video Door Phone with Cover
2.4Ghz wireless freq, open place: 180-400m; 2.4" TFT color display; Clear night-viewing, 24 hour monitoring, calling, speaking and unlocking remote controlling etc; One camera can support at most 6PCS indoor monitors(Optional) The monitor can take/save/view more than 200 photos automatically.

WIRELESS M-LM218



Extra monitor for PST-WVD218 PST-WVD218 in total can support at most six indoor monitors.

Wired Video Doorphone

M-VD601A



Non-Visual Digital Outdoor Station: Aluminum alloy shell Room numbers can be adjusted based on the floors External dimension: 258*123mm

M-VD504



Indoor phone with built-in decoder. Function: video intercom, remotely unlocking, External dimension: 205*80*35mm for PST-VD601A.

M-VD603B/VD603C



Digital ID card video Outdoor Station: Waterproof and aluminum alloy Room NO. Door release with HID card Password can release the door External dimension: 358*123mm

M-VD501B/VD501C



Video Indoor Phone: 4-inch TFT/4-inch CRT Function: video intercom, surveillance and unlocking, External dimension: 220*190*50mm

M-VD5E



Aluminium alloy. Color CCD IR night view. LED display. Unlock with password or ID/IC card. Video intercom with indoor phone, management center Embedded in wall or door.

M-IDM04



Plastic plate, mini-appearance 4-inch TFT, Pixel of TFT: 105600 16-chord ring, 30seconds for ringing. Function: video intercom, long-distance unlocking and surveillance.

M-IDM07



Wire drawing aluminium, 7-inch TFT, Pixel of TFT: 105600 dots, 16-chord ring, 30seconds for ringing. Function: video intercom, long-distance unlocking and surveillance.

M-IDM07T



Acrylic Panel, Touch-button, 7-inch TFT, Pixel of TFT: 105600 dots, 16-chord ring, 30seconds for ringing. Function: video intercom, long-distance unlocking and surveillance.

ACCESS CONTROL Контрола на пристап

ЕВИДЕНЦИЈА НА РАБОТНО ВРЕМЕ

Систем за евиденција на работно време и контрола на пристап софтверско решение за потребите на секоја компанија за управување и евиденција со работното време на вработените, изготвување и доработка на извештаите на максимално можен флексибилен начин кој се прилагодува на начинот на работа на секоја компанија.

Поставување на видовите на состојби за присуство и отсуство согласно потребите и организацијата на компанијата. (Редовна работа, Пауза, Службен пат, Службен излез, Приватен излез, Годишен одмор, Боледување и други според потребите. Поставување на 3 вида работно време (фиксно, сменско, флексибилно) со параметри за рамки за присуство, пресметки за прекувремена работа, ноќна работа, доцнење, недозволено отсуство, работа во празник, работа во неработен ден.

Секој вработен може да ја следи состојбата за себе. Секој раководител ја следи состојбата за своите потчинети вработени и врши уредување на податоците за нив.

Системот дозволува неограничен број на контролери и локации каде ќе бидат поставени, пристап до нив преку постојна мрежна инфраструктура TCP/IP и/или преку Интернет. Софтверот е на МАКЕДОНСКИ ЈАЗИК.

Call for OFFER

SC-103/403



10.540,00

Терминал за евиденција на работно време и контрола на пристап. Моност за контрола на електрична брава, поврзување на exit тастер и магнетен контакт. Wiegand In интерфејсот овозможува поврзување на дополнителен читачи креирање на master/slave систем. Моност за поврзување на читачот на контролер преку wiegand-out излезот. Комуникација TCP/IP, RS232/485, USB-Host. Капацитет 30 000 картички.

SOYAL Controllers



Call for OFFER

Terminali za evidencija na rabotno vreme i kontrola na pristap so vgraden citac na 125kHz bezkontaktni karticki, so i bez LCD ekran sa prikaz na vreme, data, korisnik, tastatura so i bez 4 funkciski tasteri. Moznost za povrzuvanje vo mreza i na PC, memorija od 2000 do 5000 korisnici/5000 nastani, releen izlez, porta za povrzuvanje na "slave" citac.

Access Controller 7612



Kontroler za kontrola na pristap so vgraden citac na 125kHz bezkontaktni karticki, Kapacitet: 500 korisnici, 500 lozinki, Moznost za otvaranje na vrata so kartica, lozinka, kartica + lozinka, releen izlez.

2.720,00

Access Controller 8618



Kontroler za kontrola na pristap so vgraden citac na 125kHz bezkontaktni karticki, Kapacitet: 200 korisnici, 1 lozinka, Moznost za otvaranje na vrata so kartica, lozinka, kartica + lozinka, releen izlez.

2.220,00

KARTICI i TAGOVI


Call for OFFER



bezkontaktna 125kHz karticka so Philips cip debela so otvor za traka za okulu vrat

bezkontakten 125kHz keytag

Moznost za pecatenje na bezkontaktni karticki so vase logo, dizajn ...



Fire Alarm

FC-510



analogno-adresibilna PP centrala so 1 jamka za 250 PP elementi (detektori, moduli, racni javuvaci), mrezno povrzuvanje do 8 PP centrali preku RS485, LCD ekran za ispis na poraki, memorija za 4000 nastani, 16 tranzistorski i zlezi i 3 NAC programibilni izlezi, 1 zona za konvencionalni PP elementi, 64/128/512 softverski zoni, RS485 i RS232 interface, povrzuvanje na PC.

Call for OFFER

J408-4



mikroprocesorska centrala so 4-zoni, LED signalizacija i foliska tastatura, max. 32 PP elementi vo edna zona, 1 zona za proporcionalni gas detektori 4-20mA, RS-485 porta, memorija za 50 nastani, povrzuvanje na PC.

Call for OFFER

J424-8



Mikroprocesorska centrala so 8-zoni so moznost za prosiruvanje do 24 zoni so dva J400-EXP8, LED signalizacija i foliska tastatura, max. 32 PP elementi vo edna zona, 1 zona za proporcionalni gas detektori 4-20mA, RS-485 porta, memorija za 50 nastani, povrzuvanje na PC

Call for OFFER

PERIFERIJA



1.800,00

hidraulicen zatvarac, turgac za vrata.



1.450,00

elektromagnetna brava, 12VDC.



Kopcinja za izlez 530,00



Soyal AR-321CM USB Converter 2.730,00



Soyal AR-272CM LAN Network Converter 5.230,00

АЛЕКС СИСТЕМИ

Обезбедена испорака, монтажа и техничка поддршка низ цела Македонија

www.aleks-sistemi.mk

Plostad Ilinden br. 58 Sveti Nikole

tel/fax. +389 32 444 464

mob. +389 75 210 099

e-mail: info@aleks-sistemi.mk

Wireless Alarm System

PST-TEL203

5.560,00



32 Wireless and 7 Wired Zones Compatible Home Alarm System with back up battery!
DTMF tel. dealer up to 6 tel. number with personal message for 10 sec.
1 Main host, 1 PIR sensor, 1 door sensor, 2 Remote controllers, 1 mini-siren, 1 Power supply.

WIRELESS GSM ALARM SYSTEM

PST-GSM-ALARM



GSM01 - 11.700,00



GSM02 - 12.900,00



GSM08 - 10.080,00

GSM Home Alarm System with back up battery!
Standard package includes:
1 Main host, 1 Keyboard,
1PIR sensor, 1 door sensor,
2 Remote controllers, Power supply
1 mini siren;
PST-GSM01GSM freq:900/1800Mhz;
PST-GSM01AGSM freq:850/1900Mhz

ЖИЧЕН АЛАРМЕН СИСТЕМ

КОМПЛЕТЕН СИСТЕМ

P R D O X
SECURITY SYSTEMS



12.400,00

Paradox SP5500 + Tastatura LED K10V
Trafo 30VA, Baterija 7Ah, Metalna kutija
Nadvoresna sirena 120dBi + baterija,
Vnatresna sirena, Senzori x2 476+,
Telfonska dojava, Kabel 30m

Цените се без 18% и 5%* ДДВ

Wireless Alarm Accessories

PST-IR202



Wireless Dual Element, Infrared Detector, Detecting distance: 12m, detecting angle:110 degrees. 730,00

PST-PT102



Wireless PIR Motion Detector with pet immunity 1.580,00

PST-DS201



Wireless Door/Window Magnetic Sensor: It is consisted of transmitter and magnetic part. 480,00

PST-IR301



Wireless curtain PIR sensor: detecting angle: 15 degrees Distance:100 meters. 815,00

PST-SD202



Wireless Ionic smoke detector: radio frequency: 315M or 433M, radio distance: more the 100m, Alarm volume: more than 85dB/m. 970,00

PST-IR401



Wireless wide angle ceiling PIR sensor Ceiling mounted, detecting distance: ø8m, angle: 360 degrees. 1.616,00

PST-RC101/102



Remote controller: 330,00
It is used to arm, disarm, emergency help, open or close the siren for the main panel.

PST-FS201



Wireless flashing & sound siren: 1.616,00
It is used with the main panel.

PST-PA200



Outdoor siren with flash, 120dB (with battery). 2.500,00

UL4-12



UL1.3/12 - 480,00
UL2.4/12 - 610,00
UL4/12 - 815,00
UL7/12 - 1130,00

Wired Alarm Accessories

PA 476PET



Wired PIR Motion Detector with pet immunity. 805,00

IS-215T



Wired PIR Motion Detector : Honeywell Dual Element Digital Motion Detector, 12m*12m. 790,00

DSC-LC100



Wired PIR Motion Detector Pet Immunity: DSC Can Prevent the False Alarm being Caused by the dog of 20KG, 2 Cats or Other Rodents Its detective range is 10m. 810,00

PA 456



Wired glass break sensor. 950,00

PST-IR104



Wired wide angle ceiling PIR sensor Ceiling mounte. Automatically temp. Compensation detecting distance: ø8m, detecting angle: 360 degrees. 650,00

PST-SD103



Wired photoelectric smoke detector 12V Sound & flash alarm, anti white light interference Alarm Output: relay output N.O./N.C, Alarm volume: more than 85dB/m. 815,00

PST-SD105



Wired photoelectric smoke detector 12V Sound&flash alarm, anti white light interference Alarm Output: relay output N.O./N.C, Alarm volume: more than 85dB/m. 815,00

PST-W102



Wired Door/Window Magnetic Sensor. 330,00

PST-FAB01



Wired Fire alarm button. 850,00

PST-S103



Outdoor/Indoor Wired Sound Horn: rated voltage:DC12V rated current:1200mA, sound level:115dB, power:20W. 415,00

PST-MS101 / PST-FS102



Mini wired siren: 345,00
It directly connects to the main host.

Wired flashing & sound siren: 345,00
It is used with the main panel.

DSC Wired Alarm System

PC585



Alarmna centrala so 4+8 zoni (+8 zoni na 8 tastaturi), max. 8 tastaturi, 35 korisnicki sifri, memorija za 128 nastani, PC Link, vgraden digitalen komunikator, 2 PGM izlezi, prosiruvanje so 32 bezzicni zoni so pomos na RF5108, RF5132 i RFK5501, (max.4 bezzicni prijemnici).

DSC Wireless Alarm System

PC5501RF



LCD tastatura - sifrador so ikoni i vgraden RF prijemnik - receiver so 32 bezzicni zoni 16 bezzicni tasteri, poddrzuva PC585H, PC1616EH, PC1832NK, PC1864NK.

Paradox Wired Alarm System

SP-5500



SP 5000/6000 Alarmna centrala so 5 do 32 zoni, (10 duplirani + 5 tastaturi), so moznost za delenje na 2 nezavisni sistemi, do 24 rasiruvacki zoni, 2 PGM, BUS tehnologija, komunikator.

Paradox Wireless Alarm System

MG-5050



Bezzicnen kontrolen panel do 32 zoni, 433 MHZ so 1 dalecinsko MG-REM1-plocha, 5 zoni i 4 PGM na plochata, 256 nastani memorija, moznost za delenje na 2 nezavisni sistemi.

АЛЕКС СИСТЕМИ не одговара и однапред се извинува за печатни грешки и промена на цени